

GIP, porcine

PRODUCT DESCRIPTION

GIP, porcine is a 42-amino-acid A peptide related to the incretin/glucagon family, involved in glucose homeostasis, insulin secretion, and metabolic regulation. These peptides signal through GLP-1R, GIPR, or glucagon receptors and are central to diabetes and obesity research. Used for studying incretin-based therapeutics, beta-cell function, and metabolic signaling pathways.

PRODUCT SPECIFICATIONS

Catalog Number	BPT1736
Molecular Weight	4975.5367 Da
Molecular Formula	C225H342N60O66S1
Purity	Peak Area by HPLC >=95%
Form	Lyophilized
Source	Synthetic (Chemical Synthesis, SPPS)
Endotoxin	N/A (Synthetic peptide)

AMINO ACID SEQUENCE

One-Letter Code:

Y A E G T F I S D Y S I A M D K I R Q Q D F V N W L L A Q K G K K S D W K H N I T Q

Three-Letter Code:

H-Tyr-Ala-Glu-Gly-Thr-Phe-Ile-Ser-Asp-Tyr-Ser-Ile-Ala-Met-Asp-Lys-Ile-Arg-Gln-Gln-Asp-Phe-Val-Asn-Trp-Leu-Leu-Ala-Gln-Lys-Gly-Lys-Lys-Ser-Asp-Trp-Lys-His-Asn-Ile-Thr-Gln-OH

RESEARCH APPLICATIONS

Application	Receptor binding
Biomarker Target	GLP-1R / GIPR / GcgR
Research Area	Metabolic Disease
Sub-category	Incretin System & Diabetes

STORAGE & HANDLING

Storage Temperature	-20 deg C
Form	Lyophilized
Stability	Lyophilized product stable for 24 months at -20 deg C
Reconstitution	Reconstitute in sterile water or appropriate buffer
After Reconstitution	Aliquot and store at -20 to -80 deg C
Avoid	Repeated freeze-thaw cycles

AVAILABLE SIZES

Size Options	1 mg, 10 mg
Usage	Research use

QUALITY CONTROL

Purity Method	HPLC, Mass Spectrometry (MS)
Identity	Confirmed by ESI-MS or MALDI-TOF
Purity	Peak Area by HPLC >=95%
Documentation	Certificate of Analysis (CoA) available upon request